


3. (Amended) [The] A chemically amplified resist [as set forth in claim 1, in which] comprising:
photacid generator contained at 0.2 part to 25 parts by weight, and polymer contained at 75
parts to 99.8 parts by weight and copolymerized between compound and monomer expressed by the
general formula:



wherein R^1 represents a hydrogen atom or a methyl group, R^2 represents a bridged hydrocarbon
having a carbon number between 7 and 22, m equals 0 or 1, n equals 0 or 1 and R^3 represents a
hydrogen atom, a methyl group or an acetyl group, wherein

said polymer has a weight average molecular weight ranging between 1,000
and 50,000, and is expressed by the general formula:

RECEIVED
NOV 12 1999
TC 1700 MAIL ROOM